Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Klaerve

1,96 R31Fsn WATER SUPPLY OUTLOOK FOR NEVADA



U. S. DEPARTMENT of AGRICULTURE * SOIL CONSERVATION SERVICE

Collaborating with

NEVADA DEPARTMENT of CONSERVATION and NATURAL RESOURCES DIVISION of WATER RESOURCES

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed inside the back cover of this report.



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

COVER PHOTO: SURVEYOR ENROUTE TO THE MT. BALDY ARIZONA SNOW COURSE

SCS PHOTO AZ-5460

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 111, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	204 E. 5th. Ave., Room 217, Anchorage, Alaska 99501
Arizona	6029 Federal Building, Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P.O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1220 S.W. Third Ave., Portland, Oregon 97204
Utah	4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 84138
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

WATER SUPPLY OUTLOOK FOR NEVADA

and
FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

R. M. DAVIS

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

GERALD THOLA

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE RENO, NEVADA

In Cooperation with

ELMO J. DE RICCO

DIRECTOR
DEPARTMENT OF CONSERVATION AND
NATURAL RESOURCES
CARSON CITY, NEVADA

Report prepared by

RONALD E. MORELAND, Snow Survey Supervisor and

JAMES K. MARRON, Assistant Snow Survey Supervisor
SOIL CONSERVATION SERVICE
P. O. BOX 4850
RENO, NEVADA

TABLE OF CONTENTS

WATER SUPPLY OUTLOOK FOR NEVADA	1, 2
PROSPECTIVE WATER SUPPLY FOR NEVADA (Map)	3
INDEX OF NEVADA SNOW COURSES (By Basins)	4
SNOW WATER DEPTHS (Map)	5
NEVADA STREAMFLOW FORECASTS	6, 7
SPECIAL FORECASTS AND SOIL MOISTURE MEASUREMENTS	8
STORAGE STATUS OF NEVADA RESERVOIRS	9
SNOW COURSE MEASUPEMENTS	10, 11, 12, 13
PRECIPITATION MEASUREMENTS	14
TELEMETERED SNOW DATA	15, 16
LIST OF COOPERATORSInside Back Co	ver

ALL AVERAGES ARE FOR 1958-72 PERIOD.

THIS SEASON NEVADA'S WATER SUPPLY OUTLOOK FROM STREAMFLOW IS BELOW AVERAGE. THE FEBRUARY 29 TO MARCH 2 STORM ADDED SIGNIFICANT AMOUNTS OF WATER TO THE SIERRA SNOWPACK, BUT THE WATER CONTENT OF THE SNOWPACK IS STILL WELL BELOW AVERAGE.

FORECASTS ON THE SIERRA STREAMS RANGE FROM 45 TO 65 PERCENT. THE HUMBOLDT AND ITS TRIBUTARIES RANGE FROM 75 TO 90 PERCENT, WHILE THE OWYHEE AND SNAKE ARE SLIGHTLY ABOVE AVERAGE. PRESENT SOIL MOISTURE CONDITIONS IN THE LOWER ELEVATION ZONES ARE EXCELLENT.

RESERVOIR STORAGE IN ALL RESERVOIRS IS ABOVE AVERAGE AND WILL SUPPLEMENT THE STREAMFLOW FOR WATER SUPPLIES THIS SEASON.

East Slope Sierra Nevada

Snow surveys in this report were taken prior to the February 29 - March 2 storm; however, streamflow forecasts do reflect the water increases from the storm. Prior to the storm, snowpack conditions were only 41 percent of the average in the Tahoe Basin, 37 percent on the Truckee, 32 percent on the Carson and 26 percent in the Walker. The results of the storm increased water content on most snow courses from 2.0 to 6.0 inches. This still leaves the snowpack about 50 percent of the March 1 average. Normally by March 90 percent of the snowpack has been deposited. Some of the high elevation snow courses need 15 to 25 inches of additional water to reach the April 1 average.

Streamflow forecasts are below normal as snow conditions indicate. Lake Tahoe rise is forecast at 1.03 feet, March 1 to high which would make the maximum elevation at 6,228.15 feet. This is 59 percent of average. The Truckee River at Farad is forecast 150,000 acre-feet or 56 percent of average.

Reservoir storage is excellent and will supplement water requirements this season. Lake Tahoe, Stampede, Boca and Prosser Reservoirs contain 690,000 acre-feet. This is slightly below last year's 715,00 acre-feet, but is well above average.

The Carson River drainage forecasts range from 53 percent for Carson River, Carson City to 80 percent on the West Carson at Woodfords. The East Carson near Gardnerville is forecast at 105,000 acre-feet or 53 percent. July 3 is forecast as the day when a 200 cfs flow is reached, compared to a July 20 average date. Water supplies will be short unless the snowfall during the next two months is above average.

The Walker River forecasts are 30,000 acre-feet (44%) on the East Walker and 90,000 acre-feet (62%) on the West Walker. Reservoir storage in Topaz is 47,000 acre-feet which is 7,000 acre-feet above last year. Bridgeport Reservoir contains 36,000 acre-feet, or 5,000 acre-feet above average. This storage will supplement the water supplies this season, but more snow is needed to insure an adequate supply.

Humboldt River

The Humboldt River and tributaries are all forecast in the 75 percent to 95 percent range with the exception of Martin Creek which is at 60 percent. Snowfall was below average during the month, therefore, forecasts are lower than last month. Surface soil moisture is excellent at the present time and melt has started in the lower elevation zones.

Rye Patch Reservoir contains 164,000 acre-feet. This is 59,000 above last year and 173 percent of average. Those tributaries without reservoir storage will be short of water for late season use.

Snake River

The Owyhee and Snake drainages have near average water supply forecasts. These areas have the best snowpack in the state. Wildhorse Reservoir contains 54,000 acre-feet or 300 percent of average. With near normal precipitation the remainder of the season, water supplies should be adequate.

Northern Great Basin

The Surprise Valley area has slightly below average snowpack. Late season water supplies could be limited.


Lower Colorado

The Virgin River forecast at Virgin, Utah, is 88 percent at 42,000 acre-feet. Storage in Lake Mead is 20,528,000 acre-feet for 103 percent of last year and 119 percent of average. Lake Mohave has 1,681,000 acre-feet, about the same as last year and average.

Eastern and Central Nevada

Water supplies in this area have improved during the month, but still remain below average. Snowpacks on the Upper Reese River and the McGill areas are above average.

PROSPECTIVE WATER SUPPLY FOR NEVADA



INDEX TO NEVADA SNOW COURSES (By Basins)

Refer to the map on the preceeding page for Snow Course locations.

	·		UIIC	map on	0	pr cocce	arrig	page 10	. 0.1011	004130						
NUMBER	NAME	5EC. TWP.	RGE.	ELEV.						NUMBER	TAU6	NAME	5EC.	TWP.	RGE.	ELEV.
SNA	SNAKE RIVER	BASIN							,	LAKE OL65TZ	Fcho	Peak	35	12N	17E	7800
15H1MA 15H2 15H13A 15H15A 15H2Oa 15H14A 15H18a 15H3A 15H3A	Bear Creek Fox Creek Goat Creek Hummingbird 5prings Merritt Mountain Pole Creek Ranger Station Red Point 76 Creek 5tag Mountain	31 46N 33 46N 31 46N 6 45N 10 46N 13 46N 15 47N 6 44N 29 41N	58E 58E 60E 60E 54E 59E 61E 58E 58E	7800 6800 8800 8945 7000 8330 7940 7100 7800						20L5 20L7stz 19L2 19K2 19K3M5Z 20L4 19K4M5TZ 20L3 20L1	Echo Falle Free Glend Haga Lake Marle Rich Rubi Rubi	Summit (Cal.) en Leaf (Cal.) l Bench (Cal.) brook #2 ns Meadow (Cal.) Lucille (Cal.) ette Lake ardsons #2 (Cal.) con #1 (Cal.) con #2 (Cal.)	6 36 36 13 36 28 18 6 6	11N 13N 12N 14N 12N 12N 15N 12N 13N	18E 17E 18E 18E 17E 19E 18E 17E 17E	7450 6300 7300 6900 8000 8200 8000 6500 8100 7500
OWY	HEE RIVER								2	20K16 20K26 20K27	Taho Taho	e City (Cal.) e City Alt. (Cal.) e City Cross (Cal.)	6 7 1	15N 15N 15N	17E 17E 16E	6250 6300 6750
15H4MP 16H6a 16H8a 15H5 16H1M 16H2A	Big Bend Columbia Basin Fawn Creek Gold Creek Jack Creek, Lower Jack Creek, Upper	30 45N 31 44N 2 45N 32 45N 18 42N 9 42N	56E 53E 52E 56E 53E 53E	6700 6650 7000 6600 6800 7250						19L1 20K17M 20K255TZ	Uppe Ward Ward	r Truckee (Cal.) Creek (Cal.) Creek #2 (Cal.)	21 21 21	12N 15N 15N	18E 16E 16E	6400 7000 6750
16H4 16H5 17G4a 15H9MP	Jacks Peak Laurel Oraw Louse Canyon (Oreg.) Taylor Canyon	28 42N 20 45N 27 405 35 39N	53E 53E 44E 53E	8420 6700 6440 6200						1 RUC 20K14 20K22 20K21	Broc	#2 (Cal.) kway 5ummit (Cal.) er Park #2 (Cal.)	28 3 18	18N 17N 17N	17E 16E 16E	5900 7100 6000
	INTERIO	R								20K10 20K7*	Donn Ford	er 5ummit (Cal.) yce Lake (Cal.)	25 34	17N 18N	14E 13E	6900 6500
	ER HUMBOLDT RIVER									20K8* 20K4M5TPZ 20K3	Inde	ace Flat (Cal.) pendence Camp (Cal.) pendence Creek (Cal.)	10 34 14	17N 19N 19N	13E 15E 15E	6700 7000 6500
15J17a 15J12A 15J1MP 15J3 15H7 15J9MP 15J10 15J11	American Beauty Corral Canyon .Oorsey Basin Ory Creek Fry Canyon Green Mountain Harrison Pass #1 Harrison Pass #2 Lamoille #1	32 31N 27 28N 28 35N 5 34N 31 43N 23 29N 9 28N 16 2BN 15 32N	58E 57E 60E 60E 54E 57E 57E 57E 58E	7800 8500 B100 6500 6700 8000 6600 7400 7100						20K5 19K3 19K2 19K7 20K6 20K19 20K13M 20K2*	Inde Litt Mt. I Mt. I 5age 5quar Truck Webb	pendence Lake (Cal.) le Valley	9 17 7 30 7 6 22 29 30	18N 16N 17N 17N 18N 15N 17N 19N	15E 19E 19E 19E 16E 16E 16E 14E	8450 6300 9000 9000 6500 7500 6400 7000 8000
15J5 15J6M 15J7	Lamoille #2 Lamoille #3 Lamoille #4	14 32N 24 32N 19 32N	5BE 58E 59E	7200 7700 8000						CARS	SON RI	******				
15J8P 15J18a 15J16a 15H6MP 15J2 15H8 15H1 OP 15H11A	Lamoille #5 Pole Canyon Robinson Lake Roded Flat Ryan Ranch Tremewan Ranch Trout Creek, Lower Trout Creek, Upper	31 32N 31 35N 23 33N 36 43N 1 34N 9 39N 28 37N 4 36N	59E 61E 59E 53E 59E 55E 61E 61E	8700 9140 9200 6800 5800 5700 6900 8500					1	19L5 19L4 19K5 19L19a 19L16a 19L06a 19L18A5	Blue Cars Clea Ebbe Fish Pois Wet 1	Lakes (Cal.) on Pass, Upper (Cal.) r Creek tts Pass (Cal.) Valley, Upper (Cal.) on Flat (Cal.) Meadows Lake (Cal.)	30 22 6 17 1 25 26	9N 10N 14N 8N 7N 8N 9N	19E 18E 19E 20E 22E 21E 19E	8000 8600 7300 8700 8050 7900 8100
LOW	ER HUMBOLDT RIVER								•	19L20a	MOIT	Creek (Cal.)	35	BN	20E	8000
17K1 17K2 17K3 17H2 17H1 17L1 17L2 17H2 17H4 17H5 17H3 16H3AP 16H7	Big Creek Camp Ground Big Creek, Upper Buckskin, Upper Buckskin, Upper Cornal, Lower Cornal, Lower Golconda #2 Granite Peak Lamance Creek Martin Creek Midas Toe Jam a	10 17N 23 17N 26 17N 25 45N 11 45N 12 11N 20 11N 22 35N 22 44N 13 42N 18 44N 18 39N 29 40N	43E 43E 43E 39E 39E 40E 41E 39E 39E 38E 40E 46E 50E	6600 7600 7800 6700 8200 7500 8000 6000 7800 6700 7200 7700					1	WALK 9L11 9L10 9L12A 9L8 9L7a 9L7M 9M1* 19L13 19L22M5Z	Bucke Centi- Leav Lobde Sonor Tiog Virg Virg	eye Forks (Cal.) eye Roughs (Cal.) it Meadows (Cal.) it Meadows (Cal.) all Lake (Cal.) ar Pass (Cal.) ar a Lakes (Cal.) inia Lakes (Cal.) inia Lakes Ridge ow Flat (Cal.)	20 15 4 4 20 1 30 5 32 21	4N 4N 3N 5N 7N 5N 1N 2N 3N	23E 23E 23E 22E 24E 21E 25E 25E 25E 23E	8500 7900 9400 7200 9200 8800 9900 9500 9200 8250
	TERN NEVADA											COLORAD	0			
14L1 14L2 14L3 14K2 14K1 15J13 15J14 15J15 14K8 14K3 15K1 14K7	8aker #1 8aker #2 8aker #2 8aker #3 8erry Creek 8ird Creek Cave Creek Hager Canvon Hoie-In-Mountain Kalamazoo Creek Murray Summit Robinson Summit Silver Creek #2 Ward Mountain #2	29 13N 30 13N 25 13N 26 17N 34 19N 34 27N 6 35N 34 20N 25 16N 34 18N 30 16N 25 15N	69E 69E 68E 65E 65E 57E 61E 62E 61E 62E 69E	7950 8950 9250 9100 7500 7500 8000 7900 7400 7250 7600 8000 8900					1 1 1	LOWE 5N5 5N3 15N8 4M1 4M2 5N7 5L1	Kyle Lee (Matho Pine Rain	ORADO RIVER Canyon Canyon #2 Canyon #3 w Canyon Canyon Canyon Eanyon Eanyon Eanyon Eanyon Eanyon	27 9 10 10 23 6 31	195 195 195 65 65 205 13N	56E 56E 56E 70E 69E 57E 59E	8200 9200 8500 6000 6200 8100 7400
CEN	TRAL GREAT BASIN															
18M2 18M5a 15N2 18M1 18M3a 18M4a 15N1	Campito Mountain (Cal.) Chiatovich Flat Clark Canyon Montgomery Pass Pinchot Creek Piute Pass (Cal.) Trough Springs	19 55 32 25 8 195 4 1N 28 1N 33 45 23 185	35E 34E 56E 33E 33E 33E 35E	10200 10500 9000 7100 9300 11700 8500								LEGEND				
NOR	THERN GREAT BASIN											NUMBERING SYSTEM (EXA	MPLE)			
19H1 20H5 20H6 18G6a 18H1 20H3a 20H7 19H3 19H2 19H4a 20H9 17G5a 17H6a 20H4	Bald Mountain Barber Creek (Cal.) Cedar Pass (Cal.) Oenio Creek (Ores.) Oisaster Peak Oismal Swamp (Cal.) Eagle Peak (Cal.) 49-Mountain Hays Canyon Little Bally Mountain Mt. Bidwell Oregon Canyon (Oreg.) Quinn Ridge Reservation Creek (Cal.)	17 45N 23 39N 12 43N 14 415 8 47N 31 48N 35 40N 7 42N 1 39N 8 45N 6 47N 9 40S 9 40S	21E 16E 14E 34E 34E 17E 15E 19E 16E 40E 41E	6720 6500 7100 6000 6500 7000 7200 6000 6400 6000 7240 6300 5900					1	19K45 St 19K4M St 19K4P St 19K4P St 19K4MP St 19K4MP St 19K4STZ St Te Gower case only a Soit	now Co lette. lette. l Mois	urse Only urse and Snow Pillow urse and Soil Moistur urse and Soil Moistur urse and Storage Preai urse, Soil Moisture ar urse, Soil Moisture ar urse, Soil Moisture ar urse, Snow Pillow and ered. turn, a, p, s, t, z, turn Station, Aerial N w Pillow, Temperature,	pitati d Aero d Pred Tempe: indica larker	lal Ma ripita rature te no e Store	rker tion Ga Radio snow co age Pre	urse,
18G5a	Trout Creek (Oreg.)	10 415	38E	7800			1			*Located	d on a	djacent watershed				

SNOW WATER DEPTHS 20 SNOW WATER DEPTHS As percent of 1958-72 15 year average LEGEND Less than 80 percent of average Within 20 percent of average More than 20 percent above average USGS National Ailas 11,000,000 Albers Equal-Area projection (1967) used as source for base map and adapted for SCS use.

Farecasts are based an snaw-water presently stared in the mauntain watersheds and the assumption that precipitation will be near average throughout the farecast period. Peak flaw farecasts indicate the most probable range for the maximum average 24-hour flaw. All averages are far 1958-72 period.

FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
- TRUCKEE RIVER				
Little Truckee River above Boca, CA 1/	April-July	50	56	89
Truckee River at Farad, CA 1/2/	April-July	150	56	267
Lake Tahoe Rise in Feet (assuming gates closed) 2/	March-High April-High		59 51	1.74
CARSON RIVER				
East Carson near Gardnerville, NV	March-July April-July		61 53	198 182
West Carson at Woodfords, CA	March-July April-July		82 81	56 52
Carson River near Carson City, NV	March-July April-July		59 5 3	201 178
Carson River near Fort Churchill, NV	March-July April-July		54 47	181 159
WALKER RIVER				
East Walker near Bridgeport, CA 1/	March-Aug. April-Aug.		49 44	75 68
West Walker below Little Walker near Coleville, CA	March-July April-July		64 62	151 145
COLORADO RIVER				
Virgin River at Virgin, UT	April-June	42	88	48
HUMBOLDT RIVER				
Lamoille Creek near Lamoille, NV	March-July April-July		86 86	29 28
South Fork Humboldt above Dixie Creek	March-July April-July	EA	89 88	71 66
South Fork Humboldt near Elko, NV	March-Jul April-Jul		89 88	71 66
Marys River above Hot Springs, NV	March-Jul April-Jul		79 76	38 34

STREAMFLOW FORECASTS (Thousand Acre Feet) as of: March 1, 1976								
FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +				
HUMBOLDT RIVER (Continued)			i.					
North Fork Humboldt at Devils Gate, NV	March-July April-July		95 94	40 32				
Humboldt River at Palisade, NV	March-July April-July		80 78	218 193				
Humboldt River at Comus, NV	March-July April-July		77 74	171 149				
Martin Creek near Paradise, NV	March-July April-July		68 63	19 16				
SNAKE RIVER	· · · · · · · · · · · · · · · · · · ·		* 4					
Owyhee River near Owyhee, NV <u>1</u> /	March-July April-July		101 101	81 68				
Owyhee River near Gold Creek, NV <u>1</u> /	March-July April-July		104 105	23 18				
Salmon Falls Creek near San Jacinto, NV	March-July March-Sept		t Delayed t Delayed	80 84				
SURPRISE VALLEY								
Bidwell Creek near Fort Bidwell, CA	April-July	9.0	78 🤛	11.5				
Mill Creek near Cedarville, CA	April-July	4.0	85	4.7				
Deep Creek near Cedarville, CA	April-July	4.5	136	3.3				
Eagle Creek near Eagleville, CA	April-July	5.2	121	4.3				

^{1/} Corrected for storage

<u>2</u>/ Forecast issued by Truckee Basin Water Committee

PEAK FLOWS (MAXIMUM MEAN DAILY) (Av. flow for 24 hrs. on day of greatest flow)

FORECAST POINT	PEAK FLOW (SECOND FEET)				
PORECAST POINT	Forecast Range	Average +			
Little Truckee River - Inflow to Stampede Reservoir	500 - 700	910			
East Fork Carson River near Gardnerville, NV Carson River near Carson City, NV Carson River near Fort Churchill, NV West Walker River below Little Walker near Coleville, CA	1000 - 1200 1100 - 1300 950 - 1150 1150 - 1350	1728 1901 1730 1532			

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
East Carson River near Gardnerville, NV	200	7/3	7/20
	-		

SOIL MOISTURE MEASUREMENTS

	Profile	(Inches)	Soil Moisture (Inches)		
STATION	Depth	Capacity	Date	This Year	Average
OWYHEE-HUMBOLDT BASIN					
Bear Creek Big Bend Rodeo Flat Taylor Canyon	72 48 42 48	16.9 16.7 11.0 15.1	Data Del 2/23/76 2/23/76 2/23/76	15.2 4.1	11.5* 15.0* 9.0* 12.5*
TAHOE-TRUCKEE BASIN				. •	
Independence Camp Marlette Lake	34 50	6.1 3.7	2/23/76 2/2 0/76		4.5* 2.8*
WALKER BASIN					
Sonora Pass Virginia Lakes Ridge	48 40	8.3 5.0			7.3* 2.3*
* Adjusted average			Ł		

RESERVOIR STORAGE (Thousand Acre Feet) as of March 1, 1976

		Usable	Usable Storage					
Basin or Stream	RESERVOIR	Capacity	This Year	Last Year	Average +			
Owyhee	Wild Horse	72	54	52	18			
Lower Humboldt	Rye Patch	157	164	105	95			
Colorado	Mohave	1,810	1,681	1,657	1,689			
Colorado	Mead	27,217	20,528	19,928	17,224			
Tahoe	Tahoe	732	502	513	443			
Truckee	Boca	41	30	25	11			
Truckee	Stampede	220	140	168	**			
Truckee	Prosser***	30	10	9	8*			
Carson	Lahontan	291	215	268	204			
West Walker	Topaz	59	47	40	40			
East Walker	Bridgeport	42	36	37	31			
* Adjusted averag	e							

** Storage began August 1, 1969.

*** Flood control use allocation of 20,000 acrefeet between November 1 and April 10.

TOTAL RESERVOIR STORAGE (Thousand Acre Feet)

TOTAL RESERVOIR STURAGE	(Thousand Horo Toot)		
MONTH	This Year	Last Year	Average †
October 1	1,037	961	718
January 1	1,005	900	714
February 1	1,015	936	782
March 1	1,048	1,040	843
April 1		1,134	893
May 1		1,117	934
Total Usable Capacity	y 1,394		

The above data developed from Wild Horse, Rye Patch, Tahae, Boco, Lohantan, Tapaz, and Bridgeport Reservairs in 1,000 Acre-Feet.

SNOW COURSE MEASUREMENTS				THIS YEAR	Y	PAST RECORD		
	DRAINAGE BASIN and/or SNOW COURSE		Date of Survey	Snow Depth (Inches)	Water Content (Inches)		ent (inches)	
I	NAME	Elevation				Last Year	Average †	
	LAKE TAHOE	7000	0.100.176	20	0.0			
	Echo Peak (CA) Echo Summit (CA) Freel Bench (CA) Glenbrook #2	7800 7450 7300 6900	2/23/76 2/27/76 NS 2/27/76	29 35 16	9.0 10.3- 6.0a 4.3	29.0 13.1 13.0	29.6 12.1* 10.6	
	Hagans Meadow Heavenly Valley Lake Lucille (CA)	8000 8800 8200	3/3/75 3/3/76 3/3/76	35 55 112	7.3 13.0 29.7	19.5 28.0 47.0	16.1	
	Marlette Lake Richardsons #2 (CA) Rubicon #1 (CA) Rubicon #2 (CA)	8000 6500 8100 7500	2/23/76 2/27/76 2/23/76 2/23/76	29 24 66 32	8.1 6.4 19.2 8.6	23.3 17.2 44.8 29.3	18.6 15.6 40.0 24.8	
	Tahoe City (CA) Tahoe City Alternate (CA) Tahoe City Cross (CA) Upper Truckee (CA)	6250 6250 6750 6400	NS 2/26/76 2/28/76 NS	3 11	1.3 4.5	NS NS 22.8 10.0	10.8* - - 10.1	
	Ward Creek #2 (CA) Ward Creek #3 (CA)	7000 6750	2/23/76 2/23/76	44 51	14.0	38.5 36.7	35.1	
	TRUCKEE RIVER							
	Boca #2 (CA) Brockway Summit (CA) Donner Park #2 (CA) Donner Summit (CA) Fordyce Lake (CA) Furnace Flat (CA) Independence Camp (CA) Independence Creek (CA) Independence Lake (CA) Little Valley Mount Rose Mount Rose Ski Area Sage Hen Creek (CA) Squaw Valley #2 (CA) Truckee #2 (CA)	5900 7100 6000 6900 6500 6700 7000 6500 8450 6300 9000 8850 6500 7500 6400	NS 2/25/76 2/29/76 2/25/76 2/24/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76	10 24 33 43 49 26 13 48 14 33 49 21 59	2.9 6.9 11.2 12.4 14.7 7.5 3.4 14.6 4.1 9.8 14.4 5.8 17.7 3.8	7.2 18.7 15.7 39.4 42.1 49.6 22.3 15.3 37.6 9.4 34.1 37.3 18.5 43.1	6.2 17.5* 15.8* 32.5 31.5* 36.1* 19.6 12.2* 35.6 8.5	
	CARSON RIVER							
	Blue Lakes (CA) Carson Pass, Upper (CA) Clear Creek Ebbetts Pass (CA) Ebbetts Pass #2 (CA) Fish Valley, Upper (CA) Poison Flat	8000 8600 7300 8700 8700 8050 7900	2/23/76 2/24/76 2/24/76 2/27/76 NS 2/27/76 2/27/76		10.6 10.5 3.9 13.0a 4.0a 4.0	29.3 14.6 28.6a 36.5 13.6a 15.6	31.1 11.9 26.6* - 13.1* 13.9*	
	Wet Meadows Lake (CA) Wet Meadows #2 (CA) Wolf Creek (CA)	8050 8050 8000	2/27/76 NS 2/27/76	25 30	7.0a 8.0a	23.5a 32.4 23.0a	23.0*	

SNOW COURSE MEASUREMENTS			THIS YEAR		PAST R	ECORD
DRAINAGE BASIN and/or SNOW COURSE		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Conte	
NAME	Elevation	or survey	(menes)	(males)	Last Year	Average +
WALKER RIVER Buckeye Roughs (CA) Center Mountain (CA) Leavitt Meadow (CA) Lobdell Lake (CA) Sawmill Ridge Sonora Pass (CA) Tioga Pass (CA)* Virginia Lakes (CA) Virginia Lakes Ridge (CA) Willow Flat (CA)	7900 9400 7200 9200 8750 8800 9900 9500 9200 9900	2/27/76 2/27/76 2/27/76 2/27/76 2/27/76 2/27/76 2/26/76 2/27/76 2/27/76 2/27/76	15 43 4 9 13 16 25 11 16 8	3.6 12.4 1.6 2.3 3.3 4.8 8.8 3.0 4.3 2.5	17.3 28.9 9.3 13.9a - 24.6 - 9.6 13.8 10.1	33.9 14.4* 21.5 - 15.5
Bald Mountain AM Barber Creek (CA) Cedar Pass (CA) Denio Creek (OR) Disaster Peak Dismal Swamp (CA) 49 Mountain Hays Canyon Little Bally Mountain Oregon Canyon (OR) Quinn Ridge Reservation Creek (CA) Trout Creek (OR)	6720 6500 7100 6000 6500 7000 6000 6400 6000 7240 6300 5900 7800	2/23/76 2/25/76 2/24/76 2/23/76 2/23/76 3/2/76 3/2/76 2/23/76 2/23/76 2/23/76 2/24/76 3/2/76 2/23/76	2 26 40 4 28 58 24 5 10 14 5 54 24	0.5a 8.2 11.6 1.3a 8.4 19.1a 3.7 1.2 3.4a 4.2 1.4a 13.6 7.2a	3.8 19.0 19.9 1.3a 18.0 20.4a 4.7 7.9 5.8a 4.5a 6.7 16.5 11.5a	3.4 10.0 13.1 0.5* 13.4 14.1 3.7 3.2 2.3* 4.8* 1.8* 9.4 6.4*
SNAKE RIVER Bear Creek Fox Creek Goat Creek Hummingbird Springs Merritt Mountain AM Pole Creek Ranger Station Red Point 76 Creek Stag Mountain AM	7800 6800 8800 8945 7000 8330 7940 7100 7700	Data Del Data Del Data Del Data Del 2/25/76 Data Del 2/25/76 2/25/76	ayed ayed ayed 22 ayed ayed 34	6.6 9.9a 3.0	24.3 14.6 16.4 20.0 9.3a 21.4 6.5 15.4 7.0a	17.3 9.0 16.0 19.4 5.8 16.8 9.1 10.0 5.0*
OWYHEE RIVER Big Bend Columbia Basin AM Fawn Creek AM Gold Creek Jack Creek, Upper Laurel Draw Louse Canyon AM (OR) Taylor Canyon	6650 7000 6600 7250 6700	2/23/76 2/25/76 2/25/76 2/23/76 2/23/76 2/23/76 2/24/76 2/23/76	30 24 25 33 30		11.4 10.9a 7.0a 7.2 9.3a 11.7 11.5a 8.3	7.6 8.1* 4.4* 4.9 7.7 6.4 2.8* 4.1

NOW COURSE MEASUREMENTS			THIS YEAR	Y	PAST RECORD	
DRAINAGE BASIN and/or SNOW COURSE		Date	Snow Depth	Water Content	Water Content (inches)	
NAME	Elevation	of Survey	(Inches)	(Inches)	Last Year	Average
UPPER HUMBOLDT RIVER						
merican Beauty orral Canyon orsey Basin ry Creek ry Canyon reen Mountain arrison Pass #1 arrison Pass #2 amoille #1	7800 8500 8100 6500 6700 8000 6600 7400 7100	2/25/76 2/24/76 2/24/76 2/24/76 2/23/76 2/24/76 2/24/76 2/24/76 2/24/76	24 48 34 10 27 33 17 21	7.5 14.8 10.6 3.1 7.5 9.7 4.5 5.8 8.0	9.9a 19.0 16.7 5.7 10.2 NS 7.8 8.3 11.3 14.6 25.0 NS 33.0a 9.1 0.0	8.3 12.9 10.3 2.6 6.3 11.2 3.7 5.4 8.2 9.9 22.0 6.9 22.1 4.9 0.9
Lamoille #3 Lamoille #5 Pole Canyon AM Robinson Lake AM Rodeo Flat Ryan Ranch	7700 8700 9140 9200 6800 5800	2/24/76 2/24/76 NS 2/25/76 2/23/76 2/24/76	29 59 74 20 0	8.4 19.9 24.5 5.5 0.0		
Tent Mountain AM Tent Mountain AM Tremewan Ranch Trout Creek, Lower Trout Creek, Upper	7000 8350 5700 6900 8500	2/25/76 2/25/76 2/25/76 2/24/76 2/24/76	19 58 3 17 43	7.0a 18.0a 1.2 4.2 16.5		1.2 3.1 16.1
LOWER HUMBOLDT RIVER						
Big Creek Camp Big Creek Mine Big Creek, Upper Buckskin, Lower Buckskin, Upper Corral, Lower Corral, Upper Golconda #2 Granite Peak Lamance Creek Martin Creek Midas AM Toe Jam AM	6600 7600 7800 6700 8200 7500 8000 6000 7800 6700 7200 7700	2/24/76 2/24/76 2/24/76 2/23/76 2/23/76 2/25/76 NS	14 18 26 24 24 6	4.6 5.0 7.5 6.4 8.1 2.0	2.6 9.6 10.6 11.6 15.9 NS NS 9.9 12.5 14.5 12.8 3.3a 12.5a	1.1 4.0 5.1 7.4 8.7 1.4 4.5
		3/2/76 2/23/76 2/23/76 2/23/76 2/23/76 2/23/76	20 32 22 17 6 24	4.7 11.1 6.6 4.1 1.6 7.2a		3.9 13.2 9.4 8.9 3.3 7.9

NS No Survey

SNOW COURSE MEASUREMENTS			THIS YEAR	Y	PAST RECORD	
DRAINAGE BASIN and or SNOW COURSE NAME.		Crate of Survey	Snow Depth (inches)	Water Content (inches)	Last Year	Average +
EASTERN NEVADA						
Baker #1 Baker #2 Baker #3 AM Berry Creek Bird Creek Kalamazoo Creek Mount Defiance AM Murray Summit Robinson Summit Silver Creek #2 AM Ward Mountain #2 AM White River #1 Hole-in-Mountain	7950 8950 9250 9100 7500 7400 9400 7250 7600 8000 7400 7400 7900	2/25/76 2/25/76 2/24/76 2/26/76 2/27/76 2/25/76 2/25/76 2/25/76 2/25/76 2/24/76 2/24/76 2/26/76 3/3/76	19 35 34 32 19 28 57 11 10 17 16 9	4.4 9.5 10.5a 9.5a 4.6 6.2 15.5a 2.5 1.6 4.0a 3.8a 2.8 14.7	NS NS NS NS NS 16.2a 2.1 2.6 2.0a 4.5a 2.9 NS	5.7 11.9 13.0 11.5 3.5 6.1 - 2.8 1.9 4.7 8.2 2.5* 19.3
CENTRAL GREAT BASIN Campito Mountain (CA) Chiatovich Flat Clark Canyon Montgomery Pass Pinchot Creek Piute Pass (CA) Trough Springs	10200 10500 9000 7100 9300 11700 8500	2/25/76 NS 2/27/76 2/23/76 NS NS 2/27/76	12 20 10	3.5 6.0 1.9	0.0 NS 4.2 0.0 NS NS 2.8	4.9* 3.2* 7.3 1.3* 0.9* 4.7* 5.0*
LOWER COLORADO RIVER Kyle Canyon Lee Canyon #2 Lee Canyon #3 Mathew Canyon Rainbow Canyon #2 Pine Canyon	8200 9000 8500 6000 8100 6200	2/26/76 2/26/76 2/26/76 3/2/76 2/26/76 3/2/76	22 31 21 2 30 4	7.8 8.9 7.0 0.2 9.3 1.2	2.3 4.6 2.6 0.3 4.9 3.1	9.6 9.0 7.5* 4.4 13.1* 6.3*

NS No survey

CNOW COHDEE MEACHDEMENTS


The crass based on 1458-72, 15 year pengd. Forecast is April 1 through July 31 unless otherwise noted.


I marker, water content estimated. * 1958-72 advised.


PRECIPITATION DATA (Inches)


	CURRENT INFORMATION FROM APPROX OCT IT						
DRAINAGE BASIN and PRECIPITATION GAGE LOCATION	ELEVATION	Date of Reading	Month's Precipitation	Average +	This Year	Average +	Percent of Average
LAKE TAHOE-TRUCKEE Echo Peak Fallen Leaf Independence Camp Independence Creek Marlette Lake Mount Rose Tahoe City Cross Truckee #2 Ward Creek #3	6240 7000 6500 8000 9000 6750 6400	2/23/76 3/1/76 2/23/76 2/23/76 2/23/76 2/23/76 2/28/76 2/28/76 2/28/76	3.48 3.0 3.9 2.3 1.9 4.0 3.0 2.8 5.3		- 10.7 13.6 4.7 3.3 12.0 8.8 5.2 23.9		- - - - - -
CARSON RIVER Ebbetts Pass Poison Flat Wet Meadows WALKER RIVER	7900	NS 2/27/76 NS	NS 2.6 NS	- -	10.24	-	- -
Sonora Pass	8800	2/27/76	3.4	-	12.5	-	-
Lower Trout Creek Midas	6900 7200	2/24/76 2/24/76 2/23/76 2/23/76	- - 1.3	- - 7.6	6.3** 12.0 4.0 12.3	11.9 11.2 - 10.8	- 107 - 114
		2/23/76 2/23/76	1.5	1.6	10.0	10.3	97 97
*Average of Available Data **From November 1							

- 14 -











U.S.D.A. SOIL CONSERVATION SERVICE DAILY RADIO REPORTS BY AUTOMATIC SNOW MEASURING STATION





Agencies Cooperating in Collecting Data Contained in this Bulletin

FEDERAL

Agricultural Research Service
Bureau of Reclamation
Fish and Wildlife Service
Forest Service
Geological Survey
Navy
Soil Conservation Service
U. S. District Court - Federal Water Master
NOAA, National Weather Service

STATE

California Cooperative Snow Surveys
California Department of Parks and Recreation
Colifornia Department of Water Resources
Colorado River Commission of Nevada
Idaho Cooperative Snow Surveys
Nevada Association of Conservation Districts
Nevada Department of Conservation & Natural Resources
Division of Water Resources
Nevada State Forester
Oregon Cooperative Snow Surveys
Utah Cooperative Snow Surveys
White Mountain Research Station, Univ. of California

PRIVATE

Amalgamated Sugar Company
Kennecott Copper Corporation
Nevada Irrigation District
Owyhee Project North Board of Control
Owyhee Project South Board of Control
Pacific Gas and Electric Company
Pershing County Water Conservation District
Sierra Pacific Power Company
Truckee-Carson Irrigation District
Walker River Irrigation District
Washoe County Water Conservancy District

Other organizations and individuals furnish valuable information for the snow survey reports. Their Cooperation is gratefully acknowledged.

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE P.O. BOX 4850 RENO, NEVADA 89505

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300



FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

domestic and municipal water supply, hydro-electric power water supply for irrigation, necessary for forecasting generation, navigation, Furnishes the basic data mining and industry "The Conservation of Water begins with the Snow Survey"